
CONSTRUCTION DRG No.

RC254-100



TYPICAL EDGE/CROSS SECTION

SUPERIMPOSED LOADING


 $1.5KN/m^2 - 2.250m$ Max. CLEAR SPAN

 $2.5KN/m^2 - 2.000m$ Max. CLEAR SPAN

 $5.0KN/m^2 - 1.750m$ Max. CLEAR SPAN

CONCENTRATED LOADING

75KN ULTIMATE - N/A SELF WEIGHT = 165kgs/m²



FOR DIMENSIONS 'a', 'b', 'c' and 'd' PLEASE REFER TO THE RELEVANT DESIGN CRITERIA DETAIL SHEET Nos. PL—SPAN1 to 9 inc.

uxcrete

Unit 2 Firbank Industrial Estate Dallow Road Luton Bedfordshire LU1 1TW E:er

tate T:01582 488767 F:01582 724607 www.luxcrete.co.uk E:enquiries@luxcrete.co.uk LUXCRETE OPERATE A POLICY OF CONTINUAL IMPROVEMENT OF THEIR PRODUCTS. SPECIFICATIONS AND DETAILS ARE THEREFORE SUBJECT TO CHANGE WITHOUT NOTICE. ALL TECHNICAL INFORMATION CONTAINED WITHIN THIS DETAIL SHEET IS FOR GUIDANCE ONLY AND MAY BE INAPPROPRIATE UNDER PARTICULAR CONDITIONS.

2011 COPYRIGHT LUXCRETE LTD